Available online at www.sciencedirect.com
SCIENCE DIRECT®
ELSEVIER
Forest Ecology and Management 222 (2006) 489–490
Forest Ecology and Management
www.elsevier.com/locate/foreco

Contents of *Forest Ecology and Management*, Volume 222

Regular articles

Selective bark-stripping of beech, *Fagus sylvatica*, by free-ranging horses
A.T. Kuiters, L.A.M. van der Sluijs and G.A. Wytema (Wageningen, The Netherlands) 1
Biomass allometric equations for 10 co-occurring tree species in Chinese temperate forests
C. Wang (Heilongjiang, China) 9
An evaluation of different diameter diversity indices based on criteria related to forest management planning
N.L. Lexerød and T. Eid (Ås, Norway) 17
The influence of land-use changes on soil hydraulic properties: Implications for runoff generation
B. Zimmermann, H. Elsenbeer (Potsdam, Germany) and J.M. De Moraes (Piracicaba, Brazil) 29
Selection of trees for rubbing by red and roe deer in forest plantations
J.A. Ramos (Coimbra, Portugal), M.N. Bugalho (Lisboa, Portugal), P. Cortez (Bragança, Portugal) and G.R. Iason (Aberdeen, UK) 39
Spatial and temporal variation of seed predation and removal of sympatric large-seeded species in relation to innate seed traits in a subtropical forest, Southwest China
Z. Xiao, Y. Wang (Beijing, China), M. Harris (College Station, TX, USA) and Z. Zhang (Beijing, China) 46
Leaf area and growth efficiency of regeneration in mixed species, multiaged forests of the Romanian Carpathians
P.T. Stancioiu and K.L. O'Hara (Berkeley, CA, USA) 55
Behavior of major insect pollinators of teak (*Tectona grandis* L. f.): A comparison of clonal seed orchard versus wild trees
S. Tangmitcharoen (Bangkok, Thailand), T. Takaso (Kyoto, Japan), S. Siripatanadilox, W. Tasen (Bangkok, Thailand) and J.N. Owens (Victoria, Canada and Saanichton, Canada) 67
Stand biomass estimation method by canopy coverage for application to remote sensing in an arid area of Western Australia
H. Suganuma, Y. Abe (Ibaraki, Japan), M. Taniguchi (Tokyo, Japan), H. Tanouchi (Ibaraki, Japan), H. Utsugi (Sapporo, Japan), T. Kojima and K. Yamada (Tokyo, Japan) 75
Competition-induced mortality for Mediterranean *Pinus pinaster* Ait. and *P. sylvestris* L.
A. Bravo-Oviedo (Palencia, Spain and Madrid, Spain), H. Sterba (Wien, Austria), M. del Río (Madrid, Spain) and F. Bravo (Palencia, Spain) 88
Insect biodiversity in flowering teak (*Tectona grandis* L.f.) canopies: Comparison of wild and plantation stands
S. Tangmitcharoen (Bangkok, Thailand), T. Takaso (Kyoto, Japan), S. Siripatanadilox, W. Tasen (Bangkok, Thailand) and J.N. Owens (Victoria, Canada and Saanichton, Canada) 99
Managing forests with prescribed fire: Implications for a cavity-dwelling bat species
J.G. Boyles (Terre Haute, USA) and D.P. Aubrey (New Ellenton, SC, USA) 108
Thinning affects water use efficiency of hardwood saplings naturally recruited in a *Pinus radiata* D. Don plantation
C.M. D'Alessandro (Potenza, Italy), A. Saracino and M. Borghetti (Portici (Napoli), Italy) 116
Forest regeneration after disturbance: A modelling study for the Swiss Alps
A. Rammig (Davos, Switzerland), L. Fahse, H. Bugmann (Zurich, Switzerland) and P. Bebi (Davos, Switzerland) 123
Fertilization increases *Hylobius abietis* L. damage in *Pinus pinaster* Ait. seedlings
R. Zas, L. Sampedro, E. Prada (Pontevedra, Spain), M.J. Lombardero (Lugo, Spain) and J. Fernández-López (Pontevedra, Spain) 137
Ecosystem type differences in nitrogen process rates and controls in the riparian zone of a montane landscape
A.G. Merrill (Berkeley, CA, USA) and T.L. Benning (University of San Francisco, USA) 145
Effects of pine silviculture on the ant assemblages (Hymenoptera: Formicidae) of the Patagonian steppe
J. Corley (Bariloche, Argentina), P. Sackmann (Río Negro, Argentina), V. Rusch, J. Bettinelli and J. Paritsis (Bariloche, Argentina and Río Negro, Argentina) 162
Key issues in making and using satellite-based maps in ecology: A primer
K.S. Fassnacht, W.B. Cohen and T.A. Spies (Corvallis, OR, USA) 167
Responses of boreal carabid beetle assemblages (Coleoptera, Carabidae) to clear-cutting and top-soil preparation
M. Pihlaja (University of Jyväskylä, Finland), M. Koivula (Edmonton, Canada) and J. Niemelä (University of Helsinki, Finland) 182
Temporal evolution of carbon budgets of the Appalachian forests in the U.S. from 1972 to 2000
J. Liu, S. Liu and T.R. Loveland (Sioux Falls, SD, USA) 191
Using natural stand development patterns in artificial mixtures: A case study with cherrybark oak and sweetgum in east-central Mississippi, USA
B.R. Lockhart (Stoneville, MS, USA), A.W. Ezell, J.D. Hodges (Mississippi State University, MS, USA) and W.K. Clatterbuck (Knoxville, TN, USA) 202
Regional differences in climatic responses of Norway spruce (*Picea abies* L. Karst) growth in Norway
K. Andreassen, S. Solberg (Ås, Norway), O.E. Tveito and S.L. Lystad (Oslo, Norway) 211
Hazard rating of pine trees from a forest insect pest using artificial neural networks
Y.-S. Park and Y.-J. Chung (Seoul, Republic of Korea) 222

doi:10.1016/S0378-1127(06)00038-7

Soil carbon, nitrogen, and base cation cycling 17 years after whole-tree harvesting in a low-elevation red spruce (*Picea rubens*)-balsam fir (*Abies balsamea*) forested watershed in central Maine, USA
J.W. McLaughlin and S.A. Phillips (Maine, USA) 234
Wildfire burn patterns and riparian vegetation response along two northern Sierra Nevada streams
L.N. Kobziar and J.R. McBride (Berkeley, CA, USA) 254
Genetic diversity in managed subpopulations of Norway spruce [*Picea abies* (L.) Karst.]
F. Maghuly (Seibersdorf, Austria), W. Pinsker, W. Praznik (Vienna, Austria) and S. Fluch (Seibersdorf, Austria) 266
Management proposals for bilberry in Scots pine woodland
S. Parlane, R.W. Summers, N.R. Cowie and P.R. van Gardingen (Scotland, UK) 272
Carbon concentration variations in the roots, stem and crown of mature *Pinus pinaster* (Ait.)
D. Bert and F. Danjon (CESTAS, France) 279
Morphological response and growth of cork oak (*Quercus suber* L.) seedlings at different shade levels
E. Cardillo and C.J. Bernal (Mérida (Badajoz), Spain) 296
Relative impact of browsing by red deer on mixed coniferous and broad-leaved seedlings—An enclosure-based experiment
D. Pépin (Castanet-Tolosan, France), P.-C. Renaud (Castanet-Tolosan, France and Saint-Genès-Champanelle, France), Y. Boscardin (Nogent Sur Vernisson, France), M. Goulard (Castanet-Tolosan, France), C. Mallet, F. Anglard (Saint-Genès-Champanelle, France) and P. Ballon (Nogent Sur Vernisson, France) 302
Size–mass allometry and biomass allocation of two larch species growing on the continuous permafrost region in Siberia
T. Kajimoto (Kumamoto, Japan), Y. Matsuura (Tsukuba, Japan), A. Osawa (Ohtsu, Japan), A.P. Abaimov, O.A. Zyryanova (Krasnoyarsk, Russia), A.P. Isaev, D.P. Yefremov (Yakutsk, Russia), S. Mori (Morioka, Japan) and T. Koike (Sapporo, Japan) 314
Responses of ground flora to a gradient of harvest intensity in the Missouri Ozarks
E.K. Zenner (St. Paul, MN, USA), J.M. Kabrick (Columbia, MO, USA), R.G. Jensen (Ellington, MO, USA), J.E. Peck (St. Paul, MN, USA) and J.K. Grabner (Ashland, MO, USA) 326
Response of ground beetle (Carabidae) assemblages to logging history in northern hardwood–hemlock forests
E.F. Latty (Madison, WI, USA and Roanoke, VA, USA), S.M. Werner (Madison, WI, USA and Middletown, PA, USA), D.J. Mladenoff, K.F. Raffa and T.A. Sickley (Madison, WI, USA) 335
Estimating woody browse availability for ungulates at increasing snow depths
D.R. Visscher, E.H. Merrill (Edmonton, Canada), D. Fortin (Sainte-Foy, Canada) and J.L. Frair (Edmonton, Canada) 348
Restoration treatment effects on the understory of ponderosa pine/Douglas-fir forests in western Montana, USA
K.L. Metlen and C.E. Fiedler (Montana, USA) 355
Integrating analyses of local land-use regulations, cultural perceptions and land-use/land cover data for assessing the success of community-based conservation
S.P. Dalle (Ste-Anne-de-Bellevue, Canda), S. de Blois (Ste-Anne-de-Bellevue, Canda and Montreal, Canada), J. Caballero (México, Mexico) and T. Johns (Ste-Anne-de-Bellevue, Canda) 370
Diversity and relationship with succession of naturally regenerated southern subtropical forests in Shenzhen, China and its comparison with the zonal climax of Hong Kong
D.P. Wang (Guangzhou, PR China and Xiaogan, PR China), S.Y. Ji, F.P. Chen, F.W. Xing and S.L. Peng (Guangzhou, PR China) 384
Application of improved sequential indicator simulation to spatial distribution of forest types
Y. Feng, S. Tang and Z. Li (Beijing, PR China) 391
The impact of shifting agriculture on the availability of non-timber forest products: the example of *Sabal yapa* in the Maya lowlands of Mexico
M.T. Pulido and J. Caballero (México, México) 399
Root growth and nutrient uptake of Norway spruce container seedlings planted in mounded boreal forest soil
J. Heiskanen and R. Rikala (Suonenjoki, Finland) 410
Dormant season vegetation management in broadleaved transplants and direct sown ash (*Fraxinus excelsior* L.) seedlings
I. Willoughby (Surrey, UK), F.L. Dixon and D.V. Clay (Bristol, UK) 418
Diameter distributions and structural sustainability in forests
B.D. Rubin, P.D. Manion and D. Faber-Langendoen (Syracuse, NY, United States) 427
Inoculation of *Eucalyptus urophylla* with spores of *Scleroderma* in a nursery in south China: Comparison of field soil and potting mix
Y.L. Chen (Perth, Australia and Guangzhou, China), L.H. Kang (Guangzhou, China) and B. Dell (Perth, Australia) 439
Response of forest vegetation and foliar $\delta^{13}C$ and $\delta^{15}N$ to soil compaction and forest floor removal in a boreal aspen forest
X. Tan (Edmonton, Canada), R. Kabzems (Dawson Creek, Canada) and S.X. Chang (Edmonton, Canada) 450
Nitrogen fertilization decreases forest soil fungal and bacterial biomass in three long-term experiments
M.D. Wallenstein (Durham, NC, USA), S. McNulty (Raleigh, NC, USA), I.J. Fernandez (Orono, ME, USA), J. Boggs (Raleigh, NC, USA) and W.H. Schlesinger (Durham, NC, USA) 459

Short communications

Herbicide-induced changes to ungulate forage habitat in western Alberta, Canada
W. L Strong and C.C. Gates (Calgary, Canada) 469
Spruce beetles and timber harvest in Alaska: Implications for northern red-backed voles
E.W. Lance (Anchorage, AK, USA), S.M. Howell (Thorne Bay, AK, USA), B.K. Lance (Anchorage, AK, USA), S. Howlin (Cheyenne, WY, USA), L.H. Suring (Boise, ID, USA) and M.I. Goldstein (Juneau, AK, USA) 476

Publisher's Acknowledgement 480

Contents of *Forest Ecology and Management,* Volume 222 489